


**CLASSIGO-PURE**
**CLP Type**
**Major Applications**

Various pastes for MLCC

Color resist for image sensor

Other high-concentration dispersions

**Features**

- Polypropylene microfiber and unique consolidation process
- Optimized pleated structure
- 100% flushing before shipment
- 100% Polypropylene

**Advantages**

- Capable of fine filtration of low-viscosity pastes and cutting-edge color resists
- Excellent differential pressure vs. flow rate and long service life
- Reduction of fiber release
- Wide range of fluid compatibility


**Specifications**

	003	005	006
Grades	003	005	006
Micron Ratings ( $\mu\text{m}$ )	0.3	0.5	0.6
E.F.A. ( $\text{m}^2/250\text{mm}$ )	0.57	0.51	0.51
Media	Polypropylene		
Materials Core/Cage/Support	Polypropylene		
End Cap	Polypropylene		
Maximum $\Delta P$	0.49MPa at 20°C (71psi at 68°F)		
Maximum Operating Temp	80 °C (176°F)		
Length	125 / 250 / 500 / 750 mm		
O.D.	70.0mm		
I. D.	25.6 (for 0.5) / 29.5 (for 7) mm		


\*If you need further information on specifications (length, end cap type, etc.), please contact us.

## Differential Pressure vs Flow Rate


Fluid: Refined Water 20°C (68°F) / Cartridge Length: 250mm



Fluid: CMC (100mPa·s, RT) / Cartridge Length: 250mm



Fluid: Refined Water 20°C (68°F) / Cartridge Length: 100mm (LPM)



## Particle Removal Efficiency

Grades Particle Size (μm)	Particle Removal Efficiency (%)		
	003	005	006
0.3	> 99.9		
0.5		> 99.9	
0.6			> 99.9

### Test Conditions

Equipment : Liquid Particle Counter  
 Filtration : Single Pass  
 Fluid : Refined Water  
 Flow Rate : 10 liter/minute  
 Dust : ALUMINA

## Ordering Information

Length	Product Type	Micron Rating	O-Ring	End Cap Code	Packaging Code
2   5   0   L	-CLP-	0   0   3	E	0	B
125 = 125mm 250 = 250mm 500 = 500mm 750 = 750mm		003 = 0.3 μm 005 = 0.5 μm 006 = 0.6 μm	E = EPDM N = NBR V = FKM T = FEP Encapsulated FKM	0 = 2-222 O-Ring 5 = 2-222 O-Ring + Fin 7 = 2-226 O-Ring + Fin	A = 1pc B = 6pcs C = 10pcs F = 25pcs

## End Cap Code

Code 0



Code 5



Code 7



\*The contents of the catalog are subject to change without notice.

\*The performance data listed in the catalog are Typical values obtained under specific conditions based on our tests.

**ROKITECHNO MIRAI CO., LTD.**

6-20-12, Minami-Oi, Shinagawa-ku Tokyo, 140-0013 Japan

TEL: +81-3-5764-1131 FAX: +81-3-5764-0681

www.rokitechno.com

For our technical information, please click here. ▼



Manufacturing is based on our Quality Management Systems that meet ISO9001 standards.

Scope

Design, Development, manufacture, and sales of filter cartridges, housings and filtration equipment.



JQA-QMA16323

MS CM009

10th Issue  
CLP200706E